WINKEL XX FLATBEDS

Custom Features, Options and Sizes to Match Your Truck







1/2 or 3/4 TON Extended Cab













You'll Find Winkel Quality, Custom Flatb

Header Frame Offers Superb View From Mirrors The Winkel header frame eliminates any hidden mirror image while driving. Standard expanded metal screen, solid plate with screen window or sun louver headers are optional for maximum window protection.

Sealed Beam Tail Lights and All Clearance Lights are in Rubber FrameWe also offer additional options on lights, square tail light with built in back up light with universal two- or three-bolt mounts or rubber mounted sealed beam light system. Check out our headboard light package now available.

Bed Construction 1/8" deck plate floor, 5" channel main frame with optional 6" channel available for hydraulic lift head room.

Standard Heavy Duty Rear Hitch Constructed of 3" \times 3" \times $^{3}/_{16}$ " square tube with extended $^{1}/_{2}$ " x 4" hitch with three 1" holes.




35,000 GVW Steel Flip Over Ball Hitch Both hitch systems offer safety chain requirements.



Ball Hitch with Cover Lid







Optional 2" pop-up King Pin for bigger units.



Rectangular Tube Headboard

Popular 6" Side Boards

Anti-Sail Mudflap Brackets









Mesh, Louvered or Steel Panel with Mesh Window Headache Rack Options

eds the Best Choice.

Features Include Heavy duty rear hitch, side boards of 14 Ga. smooth formed steel with 11/2" x 3" rectangular tubing stakes, side stake pockets, retractable steel ball hitch, tail and corner marker lights, tag bracket, back-up lights, header frame and optional mudflaps.

Cross Members 2" channel, spaced on approximate 12" centers—one of the strongest on the market today.

Bed Weight 7' x 8' size—850 lb.

Nine Sizes of Tool Boxes of

sheet with formed corners, stainless steel hinges (with grease zerk), rubber gasket seal, ³/₁₆" chain and key locking

fold-down T-handle latch.

12 Ga. smooth



Heavy Duty 3" x 4" Rectangular Tubing Optional Receiver Hitch



20" to 48" Length Tool Boxes, 15" Tall and 11" to 15" Depth





Optional Bull Nose Tapered Front for Better Mirror Vision on 81/21 Wide Beds



Custom Speciality Flatbeds for Fire or Emergency Vehicles

> Call and discuss your specific needs today. **Our reputation** of working with vour ideas and needs has made us quite popular.



Compare the Winkel Bale Loading Prices for Economics



Bale spike option is available for new Winkel and previous flatbed models.



- Spring loaded bale spike locks
- 4" x 8" cylinder
- Solid steel 2" x 40" spike teeth pointed for easy penetration



- 12 Volt electric hydraulic power unit
- Remote control operation from the cab
- Bale spikes neatly store flush and concealed in rear of bed

Optional Mounting Spacer Blocks

Bolted to the truck frame, then welded to the truck bed for a maximum, secure fit. This feature also allows you to easily remove your Winkel Flatbed should you decide to sell or trade your truck.

Winkel will mount your flatbed or you can easily mount your own!

It's what you can't see that makes the Winkel Flatbed the FIRST CHOICE!



Our standard construction includes 2" channel cross members spaced on approximate 12" centers (closer centers available).





In-Cab Remote ControlFor inside or outside operation of bale load/unload.



Dual Tool Boxes

Optional 15" x 24" for one half or three quarter ton trucks and large 15" x 30" for ton trucks, both offer security locks. Also conceals hydraulic 12V electric power unit.



WINKEL MANUFACTURING CO.

2225A 200 Road • Glen Elder, Kansas 67446-9717 • (785)545-3606 Toll Free 800-466-3606 • www.winkelmfg.com • winkelmfg@nckcn.com

Your Local Winkel Dealer:

